

LEUMEX®

LUBRICANTS

Product Range
2025/26





Die Marke **LEUMEX®**

Viele Jahrzehnte praktischer Erfahrung im Automobil- und Industrieschmierstoffgeschäft bilden das Fundament von „Leumex®“, einer Marke der Leprinxol GmbH.

Leumex® ist „Made in Germany“ und bietet hochwertige Motorenöle und andere Schmierstoffe für den Automobil- und Industriebereich, nicht nur Standard-schmierstoffe, sondern auch Spezialprodukte für höchste Anforderungsprofile.

Neben den mineralölbasischen Sorten gibt es die biologisch abbaubare Schmierstoffe auf der Basis nativer Öle und synthetischer Ester sowie anspruchsvolle synthetische Schmierstoffe.

Leumex® produziert und vermarktet heute etwa **600 verschiedene Produkte**, die alle wichtigen Anforderungen der Industrie und des Gewerbes erfüllen.

Qualitätsfaktoren

- Gleichbleibend hohe Produktqualität
- Sicherstellung der Prozesssicherheit
- Überwachung unserer Produkteigenschaften
- Zusätzliche Prüfungen durch renommierte Prüfinstitute
- Die Mischanlagen sind nach Qualitäts-Management-Systemen zertifiziert



AXEL KASTE

*Geschäftsführer
Managing Director*

Mit langjähriger Tätigkeit in leitender Position im Schmierstoffgeschäft ist Axel Kaste spezialisiert auf innovative Schmierstoffe und andere hochwertige, technisch anspruchsvolle Produkte und Dienstleistungen in den Bereichen Automobil und Industrie.

Seine Erfahrungen ermöglichen es ihm, große Kompetenz in Unternehmen mit internationalen Produktions- und Vertriebsstandorten aufzubauen. Somit können die spezifischen Bedürfnisse seiner Kunden optimal umgesetzt werden.

The brand **LEUMEX®**

Many decades of practical experience in the automotive and industrial lubricant business form the foundation of “Leumex”, a brand of Leprinxol GmbH.

Leumex® is “Made in Germany” and offers high-quality engine oils and other lubricants for the automotive and industrial sector, not only standard lubricants but also special products for the most demanding requirements.

In addition to the mineral oil-based grades, there are biodegradable lubricants based on native oils and synthetic esters as well as sophisticated synthetic lubricants.

Today, Leumex® produces and markets about **600 different products**, which meet all the important requirements of industry and commerce.

Quality factors

- Consistently high product quality
- Ensuring process reliability
- Monitoring of our product properties
- Additional tests by renowned testing institutes
- The mixing plants are certified according to quality management systems

With many years of experience in leading positions in the lubricants business, Axel Kaste specializes in innovative lubricants and other high-quality, technically sophisticated products and services in the automotive and industrial sectors.

His experience enables him to build up great expertise in companies with international production and sales locations. This means that the specific needs of its customers can be optimally implemented.



ENGINE OIL PCMO

Our high quality lubricants are recommended for:

LEUMEX® Extra Plus 0W-8

HYBRID

API SP
JASO GLV-1
Mazda
Toyota

LEUMEX® Extra 0W-16

HYBRID

API SP (RC)
ILSAC GF-6B
Ford, wo gefordert (where required)
Honda 08215-99974
Honda 08216-99974
Honda 08232-P99S1LHE
Honda Ultra Next/Ultra Green
Hybrid Engine Nissan
KLANM-01A04
Extra Save X Eco
Mitsubishi DiaQueen
ECO Plus
Mitsubishi MZ102661,
MZ102662
Toyota 08880-11005

LEUMEX® Extra 0W-20

HYBRID

API SP (RC)
ILSAC GF-6A
GM dexos1 Gen 3
Ford WSS-M2C947 A/B1
Ford WSS-M2C962 A
Fiat 9.55535-GSX/-CR1
Chrysler MS-6395
GM 6094M
Daihatsu, Honda,
Hyundai, KIA, Isuzu
Lexus, Mazda, Nissan
Subaru, Suzuki
Toyota

LEUMEX® Extra 5W-20

HYBRID

API SP (RC)
ILSAC GF-6A
Chrysler MS-6395
GM dexos1 Gen 3
Ford WSS-M2C930-A
Ford WSS-M2C945-A/B1
Ford WSS-M2C960-A
Daihatsu, Honda,
Hyundai, KIA, Isuzu
Lexus, Mazda, Nissan
Subaru, Suzuki
Toyota

LEUMEX® Extra 5W-30

ACEA C3
API SN/SN Plus
MB 229.31/229.51/229.52
VW 502 00/505 00/505 01
GM dexos 2
BMW LL-04
Opel OV0401547

LEUMEX® Extra Pro 5W-30

HYBRID

API SP
ILSAC GF-6A
GM dexos1 Gen 3
GM 6094M
Chrysler MS-6395
Fiat 9.55535-CR1
Ford WSS-M2C 929-A
Ford WSS-M2C 946-A/-B1
Ford WSS-M2C 961-A
Daihatsu, Honda, Kia,
Isuzu, Lexus, Mazda, Nissan
Subaru, Suzuki, Toyota

LEUMEX® Super SP 5W-30

HYBRID

ACEA C2
API SP
Dexos1 Gen 2
BMW LL-04
MB 229.51/229.52

LEUMEX® Extra 5W-40

ACEA A3/B4
API SN/CF
MB 229.3
BMW Longlife-01
VW 502 00/505 00
Renault RN 0700/RN 0710
PSA B71 2296
Opel GM-LL-B-025
Porsche A40
Fiat 9.55535-M2

LEUMEX® Extra 10W-30

ACEA A3/B4
API SN
MB 229.1
VW 505 00
Jeep
Toyota
Chrysler MS-6395
GM 6094

LEUMEX® Extra SP 10W-30

ACEA A3/B4
API SP/CF
MB 229.1
VW 505 00
Daihatsu, Honda, Hyundai,
Kia, Lexus, Mazda, Mitsubishi,
Nissan, Subaru, Suzuki,
Toyota

*Hier finden sie eine Auswahl
an unseren hochwertigen
Produkten. Weitere Produkte
aus allen Schmierstoffberei-
chen auf Anfrage erhältlich!*

*Here you will find a selection
of our high-quality products.
Further products from all
lubricant ranges available on
request!*



ENGINE OIL HDMO

Our high quality lubricants are recommended for:

LEUMEX® Super Cargo 15W-40

ACEA E7/A3/B4
API CI-4/SL
MB 228.3/229.1
MAN M 3275
Renault VI RLD-2
Renault Truck RLD/RLD-2
Volvo VDS-3
Mack EO-N/EO-M Plus
Caterpillar ECF-1a/ECF-2
Cummins CES 20076/77/78
JASO DH-1
MTU Typ 2

LEUMEX® Super Cargo Plus 15W-40 LA

ACEA E7/E8/E11
API CK-4/SN
Global DHD-1
JASO DH-2
Caterpillar ECF-3/ -2/ -1
Cummins CES 20081
Deutz DQC III-10 LA
DDC 93K218
Ford WSS-M2C171-F1
Ford WSS-M2C171-E
MAN 3575/3275
MACK EO-O Premium Plus
MB 228.51/228.31
MTU Type 2.1
Renault VI RLD-3
Volvo VDS-4

LEUMEX® Super Cargo 20W-50

ACEA E7
API CI-4/SL
MB 228.3/229.1
MAN M 3275
MTU Typ 2

LEUMEX® Super Cargo SAE 50

ACEA E2
API SJ/CF-4
MB 227.0
MAN M 270
Allison C-4
Caterpillar TO-2
MIL-L-2104 E
MIL-L-46152 E
MTU Öltyp 1

LEUMEX® Cargo Basic 20W-50

ACEA A3/B4/E2
API SJ/CF-4
Volvo VDS
MTU
MB 228.1/229.1
MAN 271
VW 505 00

LEUMEX® Cargo Basic SAE 50

API SF/CD

LEUMEX® Cargo Basic 10W-40

ACEA E2-96
API CF-4/SH



TRANSMISSION FLUID ATF

Our high quality lubricants are recommended for:

LEUMEX® ATF VI

DEXRON® VI
DEXRON® III G/H
DEXRON® II D/E
Aisin Warner AW-1
Aisin Warner JWS 3324
ATF Type 3.0 / Type 3.1
Bentley P/N PY112995PA
BMW/Mini ATF 3+
BMW/Mini P/N 83 22 0 142 516
BMW/Mini P/N 83 22 0 397 114
BMW/Mini P/N 83 22 2 163 514 (BMW 8072 B)
Chrysler/Dodge/Jeep P/N 05127382AA
Chrysler/Dodge/Jeep P/N 68043742AA
Daimler/Mercedes MB 236.12, 236.14, 236.14
FORD/Lincoln/Mercury
P/N XT-6-QSP or-DSP [SP]
Ford/Lincoln/Mercury XT-10-QLV (LV)
GM/GMC/Opel/Saturn AW1
GM/GMC/Opel/Saturn P/N 88863400, 88863401
Honda/Acura DW-1
Honda 082000-9017 (ATF Type 3.1)
Hyundai/Kia NWS-9638 T-5
Hyundai/Kia P/N 040000C90SG
Hyundai/Kia SP-IV, SPH-IV
Jaguar/Land Rover Fluid 8432
Land Rover P/N TYK500050, LR0022460
Maserati P/N 231603
Mazda FW 6A EL, FW 6AX EL
Mazda FZ
Mercon LV
Mitsubishi ATF-J3/Dia-Queen ATF-PA
Nissan/Infinity Matic-S
Porsche P/N 000 043 304 00
Saab P/N 93 165 147 -AW-1
Shell 3353, 134, M-1375.4, 12108
SP-IV, SPH-IV, SP-IV-RR
Toyota Type WS (JWS 3324)
Toyota/Lexus/Scion WS
VW/Audi G 052 533, G 055 005 (-A,A2)
VW/Audi G 055 540 (A2), G 060 162 (A1, A2, A6)
ZF Lifeguardfluid 5/6

LEUMEX® ATF III

GM Dexron III-H
MB 236.1/236.5/236.6/236.7
MAN 339 Typ Z1/V1
Ford Mercon
Allison C-4
Cat TO-2
Voith H55.6335.3x(G607)
Volvo 97341
ZF TE-ML 03D/0 4D/09/11/14A/17C

LEUMEX® CVT Fluid

BMW 8322 0 429 154 / 8322 0 429 159
BMW Mini Cooper EZL799/EZL799A
Chrysler/Dodge/Jeep NS-II
Daihatsu Ammix CVT DC/DFC/DFE/TC
Ford CVT 23, WSS-M2C928-A
GM/Saturn DEX-CVT
Honda ATF-Z1/HCF2/HMMF
Hyundai / Kia SP-III
JASO M358
Mazda JWS 3320 / GM DEX-CVT
MB 236.20 / A 001 989 46 03
Mitsubishi NS-II, SP-III, CVT J-1/J4/J4+
Mopar CVTF+4
Nissan NS-I, NS-II, NS-III
Subaru ECVT, iCVT, iCVT FG, NS-2
Subaru Lineartronic High Torque(HAT) CVTF
Subaru Lineartronic chain CVTF/CVTF II
Suzuki CVTF TC, CVT Green 1/2/1V/NS-II
Toyota CVTF TC, CVTF FE
VW G 052 180/052 516

LEUMEX® DCT Fluid

API GL-4
BMW Drivelogic 7-speed (Getrag)
BMW 6-speed DCT
BMW DCTF-1 (83 220 440 214)
BMW DCTF-1+ BMW DCTF-2
BMW FFL-4
BMW MTF LT-5 (83 22 2167 666), 83 22 0397 244, 83 22 2147 477, 83 22 2 148 578, 83 22 2 148 579, 83 22 2 446 673
BMW MTF LT-3
BMW 83 22 0306 816, 83 22 2409 710
BMW 83 22 2433 157, 83 225 B3AC 81
Citroen/Peugeot 6DCT451 (PSA 9734.S2)
CHERY 730DHB/DHC 7DCT300 / 738DHA 7DCT380
CHERY 9009011085
Chrysler Powershift 6-Speed (Getrag)
68044345 EA
DTFR 13C130
Ferrari TF DCT-F3
Fiat 9.55550-DA11
Fiat 9.55550-MZ6 / Fiat 9.55550-MZ2
Ford/Nissan Powershift 6-Speed (GFT)
WSS-M2C936-A
WSS-M2C-200-D2 / -D3 / -E1
Ford WSS-M2C218-A1, Ford F-DC
GM DEXRON DCT
GM FFL-4
GREAT WALL GW7DCT1 / GWM 7DCT450
Honda MTF III
Hyundai / Kia 04300-2N110 WDHO-1
KUNLUN DCTF-7S
MB 236.21, 236.22, 236.24, 236.25, 239.21, 239.22

MB SLS A0019898603
McLaren FFL-4
Mitsubishi Diamond Queen SSTF-1
TC-SST 6-Speed (GFT)
Nissan DCT FLUID
Nissan GR6 / GT-R R35 / R35 SPECIAL
Nissan LV MTF-1 / Nissan 999MP-6TRT00P
Porsche 043 207 29 / 043 207 30 / 043 210 44
000 043 305 63 / 971 094 307 02A
999 917 080 00 / 999 917 080 01
999 917 546 00 / TF 0870
PSA 1618078480 / PSA 9730 A8
PSA JWS 2271
Renault BOT 450 / EDC 6-Speed (Getrag)
77 11 785 243 (DW5) / 77 11 579 456
Renault DW6 / Renault CD4
SINOPEC DCTF-GS
Suzuki 99000-22B27-036
Toyota 08885-81001 / Toyota JWS 2271
Toyota LF / Toyota LV 75W MT
Volvo Powershift 6-Speed (GFT) / 1161838
1161839 / 32240415 / 32240419
Volvo D1 / Volvo D2
VW (Audi, Seat, Skoda) 6-speed
DSG7 = S-Tronic 7 / 7 speed VW (Audi, Seat, Skoda)
VW G 052 171 / G 052 178 / G 052 182
VW G 052 512 / G 052 513 / G 052 524
VW G 052 527 / G 052 529 / G 052 726
VW G 052 798 / G 055 512 / G 055 524
VW G 055 529 / G 055 549 / G 060 726
VW G 070 726 / G 009 317 / VW TL 521 82

LEUMEX® ATF 8G

BMW L12108 (83 22 2 152 426), 83 22 2 305 397, 83 22 2 289 720 (ATF3+)
Chrysler 68157995AA
Honda Type 3.1
Jaguar 02JDE 26444
Land Rover LR 023288/232289
Mopar 68157995AA
VW / Audi G 060 162 A1/A2/A6, G 055 162 (A2/A6), G 055 540 (A2)
ZF Lifeguardfluid 8 (S671 090 312)
ZF Lifeguardfluid 9 (AA01.500.001)

LEUMEX® ATF 9G

MB 236.17



GEAR OIL BRAKE FLUID

Our high quality lubricants are recommended for:

LEUMEX® Gear SXLB 75W-90 Synthetic

API GL-4 / GL-5, MT-1
MIL-L-2105 D/E
BMW 83229407768,
BMW OSP
BMW SAF-XO
BOT 328, 130M, 720
DAF LKW
Iveco

Mack GO-J
MAN 342 Typ S1/S2
MB 235.8 / 235.11
Renault LKW
SCANIA STO 1:0
Volvo 97312 / 97315
VW 501 50
(VW G052 911 A1/A2)
ZF TE-ML 02B, 05B, 07A,
12B/N, 16F, 17B, 19C, 21B

LEUMEX® MTF 80W-90 GL-5

API GL-5
MIL-L-2105 C/D
MB 235.0
MAN 342 Typ M-1
Ford SQM-2C-9002 AA
ZF TE-ML 16C, 17B, 19B, 21A
Voith 3.325-339
Volvo 97310 / DAF

LEUMEX® Brake Fluid DOT 4

FMVSS 116 DOT 4
SAE J 1703 F
ISO 4925



ANTIFREEZE COOLANT

Our high quality lubricants are recommended for:

LEUMEX® Antifreeze Longlife

ASTM D 3306
SAE J 1034

LEUMEX® Antifreeze C12

MB 325.3
VW TL 774 D
Ford WSS-M97B44-D
Opel GM 6277M
MAN 324 SNF

LEUMEX® Antifreeze C13

VW TL 774 J
Audi
Bentley
Lamborghini
Seat/Skoda



HYDRAULIC OILS

Our high quality lubricants are recommended for:

LEUMEX® HYD 32

Hydraulic oil DIN 51524
Part 2-HLP

LEUMEX® HYD 46

Hydraulic oil DIN 51524
Part 2-HLP
FZG test, A/8.3/90:
Load stage 10

LEUMEX® HYD 68

Hydraulic oil DIN 51524
Part 2-HLP
Bosch Rexroth RE 9022001
MAG
Cincinnati Machine P69
Denison Hydraulics
HF2/HF1
FAMUR/Bumech

LEUMEX® HVC 46

Hydraulic oil DIN 51524
Part 3-HVLP



GREASE HEAT TRANSFER FLUID TURBINE OIL TRANSFORMER OIL

Our high quality lubricants are recommended for:

LEUMEX® Grease EP 2

Classification KP 2 K-30
as per DIN 51 502
Classification
ISO-L-XC(F)CHB2
as per ISO 12924

LEUMEX® Therm M 32

Heat Transfer Oil:
DIN 51522-Q 40
Lubricating Oil:
DIN 51501-L-AN 32
DIN 51517-C 32
DIN 51506-VB 32
Hardening oil

LEUMEX® Turbine 32

Bosch Rexroth
RE 9022001
MAG / Cincinnati Machine P69
Denison Hydraulics HF2/HF1/
FAMUR / Bumech
Hydraulic oil DIN 51524 Part
2-HLP
ISO VG 32/46/68

LEUMEX® Transformer TRS- TRI

IEC 60296
(for inhibited transformer oils)
Section 7.1
DIN 51353 / IEC 62535
ASTM D 1275 B
(without using copper
passivators)
BS-148
(Class II A - inhibited)
CSA C50-08 (Class A + B)
ASTM D3487 / DOBLE TOPS

LEUMEX®

Leprinxol GmbH

Fahrenheitstraße 11 · 28359 Bremen · Deutschland
Telefon/fon: +49 (0) 421 22 300 - 90 · Fax: +49 (0) 421 22 300 - 925
info@leumex.eu · www.leumex.eu

